Registered No. M. 1175.

# The Mysore Gazette

PUBLISHED BY AUTHORITY

Vol. 81] BANGALORE, THURSDAY, JULY 11, 1946 [No. 28

## PART V

### SEASON REPORT FOR THE WEEK ENDING WITH THE TWENTY-SEVENTH SATURDAY IN 1946.

(6TH JULY 1946).

*Rainfall up to 8 a.m. on Saturday the 6th July 1946*

| District and Station | This week | Last 35 years average for the corresponding week 23·57 | Up to the end of the week from 1st January 1946 — This year | Average of past 35 years | Excess (+) or deficit (−) of col. 4 compared with col. 5 +14·33 |
|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 |
| | I. c. | I. c. | I. c. | I. c. | I. c. |
| **BANGALORE.** | | | | | |
| Bangalore City and Taluk | 1 04 | 0 76 | 8 09 | 10 10 | −2 01 |
| Hoskote ... | 0 79 | 0 58 | 9 50 | 08 59 | 0 91 |
| Dodballapur ... | 1 26 | 0 67 | 13 10 | 08 90 | 4 20 |
| Nelamangala ... | 2 00 | 0 76 | 11 39 | 08 62 | 2 77 |
| Kunkanhalli ... | 0 20 | 0 66 | 17 27 | 09 92 | 7 35 |
| Magadi ... | 0 10 | 0 53 | 8 80 | 09 40 | −1 10 |
| Channapatna ... | 0 69 | 0 60 | 9 73 | 10 48 | −0 75 |
| Anekal ... | 0 00 | 0 64 | 8 69 | 10 48 | −1 79 |
| Devanhalli ... | 1 67 | 0 77 | 10 89 | 08 99 | 1 40 |
| Closepet ... | 0 64 | 0 62 | 11 73 | 10 48 | 1 25 |
| District Average ... | 0 83 | 0 64 | 10 81 | 09 59 | 1 22 |
| **KOLAR.** | | | | | |
| Kolar ... | 0 36 | 0 59 | 07 34 | 08 08 | −0 74 |
| Bowringpet ... | 1 57 | 0 47 | 08 00 | 08 00 | −0 0 |
| Chintamani ... | 0 48 | 0 62 | 06 90 | 07 99 | −1 9 |
| Mulbagal ... | 0 00 | 0 63 | 07 03 | 07 89 | −0 86 |
| Sidlaghatta ... | 0 24 | 0 74 | 09 17 | 08 25 | +0 92 |
| Chikballapur ... | 0 70 | 0 91 | 07 30 | 08 43 | −1 13 |
| Bagepalli ... | 0 25 | 0 63 | 10 50 | 06 76 | +3 74 |
| Goribidnur ... | 0 00 | 0 75 | 07 62 | 07 28 | +0 34 |
| Malur ... | 1 85 | 0 65 | 10 06 | 08 76 | +1 30 |
| Srinivaspur ... | 0 10 | 0 66 | 04 92 | 07 84 | −2 92 |
| Gudibanda ... | 0 00 | 1 6 | 09 42 | 08 23 | +1 19 |
| District Average ... | 0 46 | 0 70 | 08 02 | 07 95 | +0 7 |
| **TUMKUR.** | | | | | |
| Tumkur ... | 0 80 | 0 70 | 06 52 | 08 95 | −2 43 |
| Madhugiri ... | 0 00 | 0 74 | 06 01 | 08 02 | −2 01 |
| Chiknaikanhalli ... | 0 10 | 0 58 | 06 00 | 09 01 | −3 01 |
| Sira ... | 0 00 | 0 52 | 04 77 | 06 77 | −2 00 |
| Gubbi ... | 0 21 | 0 73 | 06 78 | 08 30 | −1 52 |
| Tiptur ... | 0 10 | 0 28 | 06 91 | 08 07 | −1 16 |
| Pavagada ... | 0 10 | 0 51 | 04 40 | 06 10 | −1 70 |
| Kunigal ... | 0 00 | 0 56 | 05 90 | 08 40 | −2 50 |
| Kortagere ... | 0 23 | 0 74 | 05 47 | 08 14 | −2 67 |
| Turuvekere ... | 0 00 | 0 30 | 06 68 | 08 35 | −1 67 |
| District Average ... | 0 15 | 0 57 | 05 94 | 08 01 | −2 07 |
| **MYSORE** | | | | | |
| Mysore ... | 0 32 | 0 42 | 09 97 | 11 18 | −1 21 |
| Chamarajnagar ... | 0 25 | 0 22 | 07 06 | 09 88 | −2 83 |
| Hunsur ... | 0 66 | 0 73 | 08 00 | 12 35 | −4 35 |
| Krishnarajnagar ... | 0 30 | 0 45 | 08 73 | 09 53 | −0 80 |
| Heggaddevankote ... | 4 04 | 1 05 | 17 78 | 14 10 | +3 68 |
| Gundlupet ... | 0 14 | 0 30 | 12 84 | 10 41 | +2 43 |
| Nanjangud ... | 0 36 | 0 44 | 08 54 | 11 06 | −2 52 |
| T.-Narsipur ... | 0 00 | 0 27 | 07 10 | 10 37 | −3 27 |
| Periyapatna ... | 1 85 | 1 28 | 16 85 | 13 39 | +3 46 |
| District Average ... | 0 88 | 0 56 | 10 77 | 11 36 | −0 59 |

*Rainfall up to 8 a.m. on Saturday the 6th July 1946—concld.*

| District and Station | This week | Last 35 years average for the corresponding week 23·57 | Up to the end of the week from 1st January 1946 — This year | Average of past 35 years | Excess (+) or deficit (−) of col. 4 compared with col. 5 +14·33 |
|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 |
| | I. c. | I. c. | I. c. | I. c. | I. c. |
| **MANDYA.** | | | | | |
| Mandya ... | 0 19 | 0 32 | 09 24 | 07 24 | +1 98 |
| Seringapatam ... | 0 15 | 0 40 | 09 71 | 07 71 | +2 00 |
| Malvalli ... | 0 92 | 0 41 | 09 07 | 07 00 | +2 07 |
| Krishnarajpet ... | 0 38 | 0 50 | 11 41 | 07 94 | +3 47 |
| Nagamangala ... | 0 45 | 0 23 | 05 96 | 07 13 | −1 17 |
| Maddur ... | 0 40 | 0 36 | 07 70 | 06 52 | +1 18 |
| French-Rocks ... | 0 43 | 0 37 | 09 32 | 07 29 | +2 03 |
| District Average ... | 0 42 | 0 37 | 08 92 | 07 26 | +1 65 |
| **HASSAN.** | | | | | |
| Hassan ... | 3 07 | 0 97 | 10 82 | 11 71 | −0 89 |
| Manjarabad (Saklespur) ... | 12 25 | 5 49 | 36 41 | 29 76 | +6 65 |
| Arkalgud ... | 4 32 | 1 21 | 15 00 | 12 59 | +2 41 |
| Belur ... | 2 70 | 1 56 | 18 01 | 14 56 | +3 45 |
| Channarayapatna ... | 0 91 | 0 43 | 09 99 | 09 89 | +0 10 |
| Arsikere ... | 0 12 | 0 52 | 05 90 | 08 72 | −2 82 |
| Hole-Narsipur ... | 1 41 | 0 61 | 08 40 | 09 91 | −1 51 |
| Alur ... | 4 80 | 1 88 | 18 65 | 15 08 | +3 57 |
| District Average ... | 3 70 | 1 59 | 15 40 | 14 03 | +1 37 |
| **SHIMOGA.** | | | | | |
| Shimoga ... | 1 95 | 1 35 | 11 02 | 10 39 | +0 63 |
| Channagiri ... | 1 56 | 0 93 | 10 14 | 08 48 | +1 66 |
| Honnali ... | 0 70 | 0 54 | 08 89 | 08 15 | +0 74 |
| Shikarpur ... | 3 57 | 1 46 | 17 62 | 10 91 | +6 71 |
| Sorab ... | 8 00 | 3 77 | 31 92 | 15 83 | +16 09 |
| Sagar ... | 11 72 | 5 47 | 38 96 | 25 42 | +13 54 |
| Nagar (Kallurkatte) ... | 13 25 | 8 32 | 56 60 | 35 94 | +20 66 |
| Tirthahalli ... | 16 38 | 8 89 | 49 72 | 35 69 | +14 03 |
| Kumsi ... | 4 14 | 1 93 | 20 48 | 13 44 | +7 04 |
| District Average ... | 6 81 | 3 63 | 27 26 | 18 59 | +8 67 |
| **KADUR.** | | | | | |
| Chikmagalur ... | 3 12 | 1 10 | 19 09 | 13 92 | +5 17 |
| Kadur ... | 0 48 | 0 39 | 06 78 | 07 98 | −1 20 |
| Tarikere ... | 2 15 | 1 26 | 14 40 | 10 70 | +3 70 |
| Koppa ... | 18 36 | 7 65 | 49 12 | 33 48 | +15 64 |
| Mudgere ... | 8 39 | 5 80 | 36 79 | 31 56 | +5 23 |
| Narasimharajpura ... | 8 84 | 4 19 | 27 73 | 21 12 | +6 61 |
| Sringeri ... | 20 10 | 10 74 | 59 33 | 43 83 | +15 50 |
| District Average ... | 8 78 | 4 45 | 30 46 | 23 23 | +7 23 |
| **CHITALDRUG** | | | | | |
| Chitaldrug ... | 0 99 | 0 53 | 07 50 | 07 77 | +0 03 |
| Challakere ... | 0 00 | 0 35 | 06 26 | 05 83 | +0 73 |
| Hiriyur ... | 0 58 | 0 39 | 04 59 | 07 17 | −2 58 |
| Holalkere ... | 1 62 | 0 58 | 12 68 | 07 47 | +5 21 |
| Davangere ... | 0 85 | 0 75 | 13 93 | 07 65 | +6 28 |
| Molakalmuru ... | 0 15 | 0 39 | 04 51 | 06 36 | −1 84 |
| Jagalur ... | 0 10 | 0 57 | 04 26 | 07 01 | −2 75 |
| Hosdurga ... | 0 38 | 0 46 | 04 90 | 07 70 | −2 80 |
| Haribar ... | 0 34 | 0 51 | 07 29 | 06 75 | +0 54 |
| District Average ... | 0 56 | 0 50 | 07 36 | 07 05 | +0 31 |
| Provincial Average ... | 2 51 | 1 44 | 13 88 | 11 67 | +2 57 |

### STATEMENT SHOWING THE PRICES OF FOOD-GRAINS IN SEERS PER RUPEE AND MARKET FLUCTUATIONS IN PRICES OF FOOD-GRAINS FOR THE 27TH WEEK ENDING SATURDAY THE 6TH JULY 1946.

| | Kind of grains | This week | Past week | Past ten years fortnightly average |
|---|---|---|---|---|
| | | Srs. | Srs. | Srs. |
| Bangalore | Rice, 2nd sort ... | 3⅜ | 3⅜ | 7·0 |
| | Ragi ... | 6·0 | 6·0 | 16·0 |
| | Kulthi ... | 2⅜ | 2⅜ | 12·0 |
| | Kadale ... | 2½ | 2½ | 7·0 |
| Kolar | Rice, 2nd sort ... | 3·8 | 3·8 | 7·0 |
| | Ragi ... | 6·0 | 6·0 | 13·0 |
| | Kulthi ... | 2·8 | 2·8 | 8·0 |
| | Kadale ... | 2·4 | 2·4 | 7·0 |
| Tumkur | Rice, 2nd sort ... | 3⅜ | 3⅜ | 7·0 |
| | Ragi ... | 6·0 | 6·0 | 12·0 |
| | Kulthi ... | 2⅜ | 2⅜ | 6·0 |
| | Kadale ... | 1⅝ | 1⅝ | 6·0 |
| Mysore | Rice, 2nd sort ... | 3⅛ | 3⅛ | 5·0 |
| | Ragi ... | 6·0 | 6·0 | 14·0 |
| | Kulthi ... | 3·0 | 3·0 | 12·0 |
| | Kadale ... | 2⅛ | 2⅛ | 14·0 |

| | Kind of grains | This week | Past week | Past ten years fortnightly average |
|---|---|---|---|---|
| | | Srs. | Srs. | Srs. |
| Mandya | Rice, 2nd sort ... | 3⅜ | 3⅜ | 4⅛ |
| | Ragi ... | 6·0 | 6·0 | 9·0 |
| | Kulthi ... | 2⅜ | 2⅜ | 9·0 |
| | Kadale ... | 2⅜ | 2⅜ | 9·0 |
| Hassan | Rice, 2nd sort ... | 3⅜ | 3⅜ | 7·0 |
| | Ragi ... | 6·0 | 6·0 | 16·0 |
| | Kulthi ... | 2⅛ | 2⅛ | 9·0 |
| | Kadale ... | 1⅛ | 1⅛ | 5·0 |
| Shimoga. | Rice, 2nd sort ... | 3⅛ | 3⅛ | 7·82 |
| | Ragi ... | 6·0 | 6·0 | 16·29 |
| | Kulthi ... | 2⅜ | 2⅜ | 10·17 |
| | Kadale ... | 2⅛ | 2⅛ | 10·17 |
| Kadur | Rice, 2nd sort ... | 3⅜ | 3⅜ | 10·0 |
| | Ragi ... | 6·0 | 6·0 | 18·0 |
| | Kulthi ... | 3·0 | 3·0 | 17·0 |
| | Kadale ... | 2⅛ | 2⅛ | 6·0 |
| Chital-drug | Rice, 2nd sort ... | 3⅜ | 3⅜ | 6·0 |
| | Ragi ... | 6·0 | 6·0 | 16·0 |
| | Kulthi ... | 2⅜ | 2⅜ | 15·0 |
| | Cholum ... | 6·0 | 6·0 | 15·0 |
| | Kadale ... | 2·0 | 2·0 | 7·0 |

DISTRICT REPORTS.

8. Market how supplied.

9. Progress of agricultural operations, state of standing crops, prospects and probable out-turn of the harvests, serious damage done to crops by insects or other natural calamities.

10. Prospects of season, tracts in which rainfall has been insufficient, areas affected by scarcity, number of people under relief and state of food stocks.

11. Remarks on the condition of agricultural stock, failure of pasturage or fodder, etc.

BANGALORE.

8. Generally well supplied.

Sowing operations are reported to be in progress in Nelamangala, Hosakote, Dodballapur and Kankanhalli Taluks.

9. *Standing Crops.*—Sugarcane in Devanhalli, Dodballapur, Channapatna and Kankanhalli Taluks; paddy in Hoskote and Dodballapur Taluks; and nati-ragi in Hoskote Taluk are reported to be in good condition.

10. The seasonal conditions are not favourable in certain parts as crops were badly affected in parts of Devanhalli, Nelamangala and Anekal Taluks.

11. Cattle are reported to be generally healthy except for the prevalence of "Rinderpest" in Doddasadenahalli village, Kankanhalli Taluk. Preventive measures are reported to have been taken to check the spread of the epidemic. Water and fodder are available except in parts of Nelamangala and Devanhalli Taluks where there was difficulty for fodder. Certain State Forests were thrown open for free grazing of cattle in Devanhalli Taluk. The fodder problem has eased in both these taluks on account of recent rains.

KOLAR.

8. Moderately supplied through Government Depots.

9. Carting of manure to the fields and ploughing.

*Seeds sown.*—Thuragi, jola and punaji paddy under irrigation wells.

*Crops harvested.*—Nil.

*Standing Crops.*—Sugarcane, thuragi, jola and potatoes are reported to be in good condition.

In Srinivaspur, Gudibanda, Goribidnur and Mulbagal the rain fall was either very inadequate or there was no rainfall.

11. Cattle are generally healthy except for black-quarter at Bytanur in Mulbagal Taluk and mouth disease in a few villages of Kasaba and Pathapalya Hoblis in Bagepalli Taluk. Fodder and water are available.

Public health good. Cooly classes find sufficient labour.

TUMKUR.

8. Markets are fairly well supplied.

9. *Seeds sown.*—Ragi, jola, avare and kulthi in Madhugiri Taluk.

*Standing Crops.*—Well irrigated ragi in Madhugiri and Sira Taluks; paddy under Gubbi tank and gidda ragi and jola under Kadaba Tank in Gubbi Taluk; jola, groundnut, til, greengram and blackgram in Tiptur Taluk; ragi, jola and sugarcane in Kunigal Taluk; sugarcane, paddy, gidda-ragi and jola in Turuvekere Taluk are reported to be fairly in good condition.

*Crops harvested.*—Paddy and gidda-ragi in Gubbi Taluk; paddy in Kunigal and Kortagere Taluks.

10. As there has been no rainfall the seasonal conditions of this district have not been improved.

11. Cattle are reported to be generally healthy throughout the District except for the prevalence of "Black-quarter" in Halavagilu village, Kunigal Taluk. The local Veterinary Inspector is addressed to take immediate preventive measures.

Water and fodder are available except in Madhugiri, Sira, Pavagada and Gubbi Taluks and in some parts of Chiknaikanhalli, Tiptur and Turuvekere Taluks where fodder scarcity is keenly felt. Fodder is being imported and distributed to the affected areas.

Cooly classes have been provided with labour under Distress Relief Works undertaken by the Revenue Department and Public Works Departments.

MYSORE.

8. Normally well supplied.

9. *Seeds sown.*—Nanjangud—paddy; Periyapatna—avare, thogari, ginger and coriander are reported to be sown.

*Standing Crops.*—Mysore—Ragi, thogari, jola and other millets, Chamarajanagar—Jola, thogari and til, Krishnarajanagar—Jola and ragi, Heggaddevankote—Paddy, ragi, jola and til, Gundlupet—Jola, caster and til, Nanjangud—Ragi, jola, groundnut and til, T.-Narsipur—Jola, Periyapatna—Ragi, jola, avare. tur, ginger and coriander are reported by the Amildar, T.-Narsipur Taluk that jola crop has been affected for want of sufficient rain fall during the preliminary stage.

*Crops harvested.*—Nil.

10. (1) Generally good. (2) Sufficient. (3) Nil. (4) None under relief. (5) Sufficient quantities of foodgrains are available in all the parts of the district.

11. Water and fodder are available for cattle and they are reported to be healthy in all the parts of this district.

MANDYA.

8. Well supplied.

9. *Standing Crops.*—Jola, irrigated ragi and sugarcane in Mandya, Maddur, Krishnarajapet, French-Rocks and Nagamangala Taluks; jola and irrigated ragi in Malvalli Taluk; irrigated ragi and sugarcane in Seringapatam Taluk are reported to be generally in good condition. Jola in Seringapatam Taluk is reported to be only fit to serve as cattle fodder owing to stunted growth. The standing crops are reported to be in need of immediate rains.

*Seeds Sown.*—Paddy is being sown in Seringapatam and French-Rocks Taluks.

*Crops harvested.*—Jola and irrigated ragi in some parts of Mandya Taluk; irrigated ragi and sugarcane in some parts of French-Rocks Taluk. Irrigated ragi in Maddur Taluk are being harvested.

10. The seasonal conditions were fair and sufficient quantities of foodgrains were available. No relief works were undertaken as no necessity for the same was felt. Rains are badly wanted both for the standing crops and for preparing lands for sowing ragi, etc.

11. Public health is reported to be generally good in all the taluks.

Cattle are reported to be generally healthy except for blackquarter in Arakere Village, Seringapatam Taluk. Necessary action has been taken to check the spread of the disease.

Fodder and water were available in sufficient quantities in all the parts of the district.

HASSAN.

8. Well supplied. Rice and ragi are being distributed from Government, Municipal, Co-operative and Village Panchayet Depots.

*Crops sown.*—Paddy is being transplanted in Manjarabad Taluk; Doddaragi in Belur Taluk. Paddy and Ragi in Alur Taluk have been sown.

9. *Standing Crops.*—Sugarcane in Hassan, Belur, Alur and Channarayapatna Taluks; ragi in Hassan, Arkalgud, Belur, Arsikere, Holenarsipur and Alur Taluks; paddy in Arkalgud, Belur and Alur Taluks; jolam in Belur, Channarayapatna, Arsikere and Hole-Narsipur Taluks; til in Channarayapatna, Arsikere and Hole-Narsipur Taluks; and tadaguni, greengram, groundnut and chillies in Arsikere Taluk; and togari in some parts of Hole-Narsipur Taluk are reported to be generally in good condition.

*Crops harvested.*—Nil.

10. The recent rains have improved the seasonal conditions to a great extent. The standing crops in parts of Arsikere and Chennarayapatna Taluks are need of more rains.

11. Water and fodder are generally available for cattle. Cattle are reported to be healthy.

SHIMOGA.

8. Markets are fairly well supplied.

9. *Agricultural Operations.*—Paddy is being sown in Shimoga Taluk. Ragi and jola are being sown in Honnali Taluk.

*Standing crops.*—Sugarcane is in good condition in all Taluks; ragi, jola and avare in Channagiri Taluk; paddy and ragi in Shikarpur Taluk; paddy in Sorab Taluk: paddy and areca in Sagar Taluk; paddy in Nagar Taluk and in Kumsi Sub-Taluk, are reported to be in good condition.

10. Prospects of the season are reported to be fair in all taluks. Cooly classes find sufficient labour. Foodgrains are available throughout the district.

11. Cattle are reported to be generally healthy all over the district except for prevalence of "ಚಪ್ಪೆರೋಗ" in Haramballi Village, Kerehalli Hobli, Hosanagar Taluk. Fodder and water are reported to be available in all taluks.

KADUR.

8. Markets well supplied.

*Crops sown.*—Dodda ragi is being sowing in Chikmagalur Taluk. Sowing and transplanting of paddy is going on in Mudgere and Koppa Taluks and Narasimharajapura and Sringeri Sub-Taluks.

9. *Standing Crops.*—Paddy, ragi and sugarcane in Chikmagalur taluk; jola, togari, greengram, til, castor, etc., in Kadur Taluk are the standing crops.

*Crops harvested.*—Nil.

*Public Health.*—Public health is generally good in the district except for the prevalence of Small-pox in some villages of Kadur Taluk.

Preventive measures to check the spread of the disease is being taken.

Labour is available and the condition of the labour classes is satisfactory.

10. The seasonal conditions are not satisfactory in parts of Chikmagalur and Kadur Taluks and are fair in other parts of the district. The rain fall in Kadur Taluk is less than the average and is causing anxiety.

11. Cattle are reported to be generally healthy in the district.

Fodder and water are available generally.

CHITALDRUG.

8. The controlled commodities including foodgrains are not supplied to the markets. The other articles are reported to be fairly well supplied.

9. *Sowing.*—Ragi and Jola under well and nala irrigation in Chellakere, jola in all parts of Hiriyur Taluk; paddy and ragi throughout Holalkere Taluk; ragi in Davangere Taluk; jola, ragi and paddy under tanks in Jagalur Taluk; ragi in some parts of Hosdurga; cotton and groundnut in Harihar Taluk are reported to be in progress.

*Standing Crops.*—Jola, ragi and urd in Chitaldrug; ragi, jola, save and oil seeds in Chellakere; sugarcane and jola in Hiriyur; jola, paddy, til and groundnut in Holalkere taluk; jola, sajje, til, groundnut, navane and urd in Jagalur; jola and ragi in Molakalmuru Taluk; jola, til and groundnut in Hosdurga Taluk are reported to be fair.

*Harvest.*—Nil.

10. Relief works have been started and are progressing in almost all the taluks excepting Harihar Taluk. The seasonal conditions are gradually getting better as rains have set in throughout the district. Separate special fortnightly report is being sent to Government and to the Revenue Commissioner.

11. Cattle are reported to be generally healthy except for the prevalence of "Blackquarter" in Tuppadahally Village in Jagalur Taluk. Necessary preventive measures are reported to have been taken by the Veterinary Department to check the spread of the disease. Water is available throughout the district. Water situation has considerably eased after the recent rains. For fodder, most of the State Forests and some of the Amrith Mahal Kavals have been thrown open for free grazing. Green grass is coming up everywhere and the fodder problem will perhaps soon solve for itself.

OFFICE OF THE REVENUE COMMISSIONER IN MYSORE,
*Dated Bangalore,*
9th July 1946.

S. NARAYANA RAO,
*Revenue Commissioner.*

365

MYSORE STATE DEPARTMENT OF PUBLIC HEALTH.

NOTE ON THE STATE OF PUBLIC HEALTH IN MYSORE STATE FOR THE WEEK ENDED THURSDAY, 4TH JULY 1946.

A total of 29 attacks with 12 deaths from Plague was returned from 8 villages in 7 taluks in 5 districts during the week, against 10 attacks with 3 deaths in the previous week. Cities of Bangalore and Mysore reported nil attack with nil death and 1 attack with 1 death, respectively, while Kolar Gold Field Area reported free from Plague. Comparative figures for the corresponding week in 1945 and 1944 were 84 attacks with 75 deaths and 54 attacks with 44 deaths, respectively.

A total of 51 attacks with 9 deaths from Small-pox were reported from Anekal, Channapatna, Devanhalli, Malur, Krishnarajapet and Nanjangud Taluks and from Bangalore City and C. & M. Station, Bangalore.

Seven attacks with 4 deaths from Cholera were reported from Madhugiri Taluk and from C. & M. Station, Bangalore.

The State remained free from Influenza and Relapsing Fever.

The total mortality for Bangalore City amounted to 126 (25 in hospitals) representing a calculated death-rate of 22·7 (18·2 excluding hospital deaths) per mille of population, as against 25·9 for the corresponding week of last year. Classified according to causes, the deaths numbered: 1 under Typhoid, 7 under Other Fevers, 3 under Phthisis, 29 under Dysentery and Diarrhœa and 86 under All Other Causes. The reported mortality was normal.

During the week the Civil and Military Station, Bangalore, returned 54 deaths (3 in hospitals) representing a calculated death-rate of 19·2 (18·2 excluding hospital deaths) per mille of population as against 29·2 for the corresponding week of last year. Classified according to causes, the deaths were: Malaria 2, Broncho-Pneumonia 4, Pneumonia 5, Dysentery and Diarrhœa 16, and All Other Causes 27.

The total mortality for Mysore City was 51 (20 in hospitals) representing a calculated death-rate of 15·3 (9·3 excluding hospital deaths) per mille of population as against 17·5 for the corresponding week of last year. Classified according to causes the deaths were: Plague 1, Malaria 2, Typhoid 1, Other Fevers 12, Phthisis 1, and All Other Causes 34. The reported mortality was very very low.

There were 26 deaths (1 in hospital) from all causes in Kolar Gold Field Area equivalent to a calculated death-rate of 8·5 (8·1 excluding hospital deaths) per mille of population as against 20·7 for the corresponding week of last year. Classified according to causes the deaths numbered: 2 under Other Fevers, 1 under Dysentery and Diarrhœa, and 23 under All Other Causes. The reported mortality was very very low.

254 T. CHANDRASEKHARIAH, *Director* I/c.